The Biggest Unknowns in Functional MRI

Peter A. Bandettini, Ph.D

Unit on Functional Imaging Methods
&
Functional MRI Facility

Laboratory of Brain and Cognition
National Institute of Mental Health

The Biggest Unknowns in Functional MRI

1. Relationship between neuronal activity and BOLD contrast?
2. Source of BOLD dynamic characteristics?
3. Sources of variability?
4. What's really in the noise?
5. What's "resting" state?
6. Other sources of functional contrast?
7. Ultimate temporal resolution?
8. Ultimate spatial resolution?
9. Ultimate clinical utility?
10. Best display methods?
11. Best processing methods?
12. Optimal Field Strength?

Relationship between neuronal activity and BOLD contrast?

Magnitude



Logothetis et al. (2001) Nature, 412, 150-157

Location



Harel et al. (2004) ISMRM, 200



Devor et al. (2001) Neuron, 39, 353-359

Inhibition



Mathiesen, et al (1998), J Physiol 512.2:555-566

Neg. BOLD



Schmuel et al. (2003) OHBM, 308

Why?



to preserve $[O_2]/[CO_2]$ at mitochondria

Buxton (2004) ISMRM, 273

Source of BOLD Characteristics?



Thompson, et al (2003), Science 299, 1070-1072



Yacoub, et al (1999), MRM 41, 1088-1092



Behzadi, et al (2004), ISMRM 279





Lu, et al (2004), ISMRM 271



Silva, et al (2004), ISMRM 277



Logothetis et al. (2001) Nature, 412, 150-157.



R. M. Birn, (2001) NeuroImage, 14: 817-826.



P. A. Bandettini et al, (2001) Nature Neuroscience, 4: 864-866.

Sources of variability?



Miezin, et al (2000), NeuroImage 11, 735-759





P. A. Bandettini, (1999) "Functional MRI" 205-220.



R. Birn, et al (2001), OHBM 971



F. BIRN project

L. Friedman, et al (2004), ISMRM 489



Courtesy, Mike Miler, UC Santa Barbara and Jack Van Horn, fMRI Data Center, Dartmouth



T.E. Lund, et al (2004), ISMRM 497å



McGonigle, et al (2000), NeuroImage 11, 708-734

What's really in the noise?







Biswal, et al (1995), MRM 34, 537-541



Laufs, et al (1995), PNAS 100 (19), 11053=11058



Kiviniemi, et al (2000), MRM 44, 373-378





Goldman, et al (2002), Neuroreport



Patterson, et al (2002), NeuroImage 17, 1787-1806

What is “resting” state?



Gusnard, et al (2001), PNAS 98 (7), 4259-4264



Lustig, et al (2003), PNAS 100 (19), 14504-14509



McKiernan, et al (2003), Journ. of Cog. Neurosci. 15 (3), 394-408



Gusnard, et al (2001), Nature Reviews Neuroscience (2), 685-694



McKiernan, et al (2003), Journ. of Cog. Neurosci. 15 (3), 394-408



Hyder, et al (2002), PNAS 99 (16), 10771-10776

Other sources of functional contrast?



Lu, et al (2003) MRM 50 (2): 263-274



A. Song, et al (2002), NeuroImage 17, 742-750



A. Song, et al (2004), ISMRM 1063





GK Aguirre et al, (2002) NeuroImage 15 (3): 488-500



J. Bodurka, et al (2002). MRM 47: 1052-1058.



Petridou, et al (2003), OHBM



J. Xiong, et al. (2003) HBM, 20: 41-49.

Ultimate temporal resolution?



Smallest latency Variation Detectable (ms) ($p < 0.001$)



Ogawa, et al (2000), PNAS 97 (20)11026–11031



Menon, et al (2000), TICS 3 (6) 207-215

Temporal resolution factors	Values for each factor
Fastest image acquisition rate	≈64 images/s
Minimum time for signal to significantly deviate from baseline	≈3 s
Fastest on-off rate in which amplitude-is not compromised	≈8 s on, 8 s off
Fastest on-off rate in which hemodynamic response keeps up	≈2 s on, 2 s off
Minimum activation duration	≈30 ms (no limit determined yet, but the response behaves similarly below 500 ms)
Standard deviation of baseline signal	≈1% (less if physiological fluctuations and system instabilities are filtered out)
Standard deviation of onset time estimation	≈450 ms
Standard deviation of return to baseline time estimation	≈1250 ms
Standard deviation of entire on-off response time estimation	≈650 ms
Range of latencies over space	± 2.5 s

P. A. Bandettini, (1999) "Functional MRI" 205-220.

Word vs. Non-word

0°, 60°, 120° Rotation



Bellgowan, et al (2003), PNAS 100, 15820–15283

Ultimate spatial resolution?

Resolving columns with single shot EPI is a goal..

0.47 x 0.47 in plane resolution



Cheng, et al. (2001) Neuron,32:359-374

0.54 x 0.54 in plane resolution



Menon et al, (1999) MRM 41 (2): 230-235

Multi-shot with navigator pulse



3T single-shot SENSE EPI using 16-channels:1.25x1.25x2mm

…using SENSE, 32 channels, 7T,
and perhaps partial k-space we might get to 0.5 mm^3

Ultimate clinical utility?

Needs:

- Real time feedback
- Characterization of confounding effects
- Robust yet incisive set of probe tasks
- Baseline information?



Bove-Bettis, et al (2004), SMRT



Small, et al (2001), Neuron 28:853-664

Bartha, et al (2002), MRM 47:742-750



An, et al (2001), NMR in Biomedicine 14:441-447

Best processing methods?

fMRI data, and noise is time and space varying in predictable and unpredictable ways over several temporal and spatial scales…

Signal and noise models…
Model free, open ended, methods?

Classification methods?
Multivariate methods?
Connectivity (across time and space scales?)

Best display methods?

To convey:
-collapsed multidimensional data
-sense of data quality

Surface
Glass brain
ROI
Time courses
Example slices
Connectivity maps?
“Quality” index?

Optimal Field Strength?

Utility vs. Difficulty

Both depend on the specific needs

…needs tend to increase with better technology

Functional Imaging Methods Unit
&
Functional MRI Facility

Computer Specialist:
Adam Thomas

Staff Scientists:
Sean Marrett
Jerzy Bodurka
Frank Ye
Wen-Ming Luh
Rasmus Birn

Post Docs:
Hauke Heekeren
David Knight
Anthony Boemio
Niko Kriegeskorte

Scanning Technologists:
Karen Bove-Bettis
Paula Rowser
Alda Ottley
Ellen Condon

Program Assistant:
Kay Kuhns

Graduate Student:
Natalia Petridou